

STIC-Biotech/ChemLib

160234

From: Swope, Sheridan
Sent: Thursday, August 11, 2005 10:50 AM
To: STIC-Biotech/ChemLib
Subject: 10/726,967

I need a text search on the following sequence:

Glu-Ile-Asn-Leu-Glu-Thr-Asp (EINLETD)

Thank you,

Sheridan Swope, Ph.D.
Patent Examiner, AU 1656
Recombinant Enzymes
571-272-0943 (voice)
E02B71 Remsen Bld (Office)
E03C70 Remsen Bld (Mailbox)

Mary Halse

STIC-Biotech/ChemLib
Aug 11 2005
10:50 AM

STAFF USE ONLY

Searcher: _____
Searcher Phone: 2-_____
Date Searcher Picked up: _____
Date Completed: _____
Searcher Prep/Rev. Time: _____
Online Time: _____

Type of Search

NA#: _____ AA#: _____
Interference: _____ SPDI: _____
S/L: _____ Oligomer: _____
Encode/Transl: _____
Structure#: _____ Text: _____
Inventor: _____ Litigation: _____

Vendors and cost where applicable

STN: _____
DIALOG: _____
QUESTEL/ORBIT: _____
LEXIS/NEXIS: _____
SEQUENCE SYSTEM: _____
WWW/Internet: _____
Other(Specify): _____

This Page Blank (uspto)

Scan both sides of the page

Page 1

=> fil reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.42

0.42

FILE 'REGISTRY' ENTERED AT 10:04:41 ON 24 AUG 2005

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2005 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 22 AUG 2005 HIGHEST RN 861291-85-2

DICTIONARY FILE UPDATES: 22 AUG 2005 HIGHEST RN 861291-85-2

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 18, 2005

Please note that search-term pricing does apply when conducting SmartSELECT searches.

*
* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added, *
* effective March 20, 2005. A new display format, IDERL, is now *
* available and contains the CA role and document type information. *
*

Structure search iteration limits have been increased. See HELP SLIMITS for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at:
<http://www.cas.org/ONLINE/DBSS/registryss.html>

=> e inletd/sqep

E1 1 EINKVIKHILSLKPILELLKTVIKWTFWSGCNHNRSIKC'AAA'VVHLLFNFTKFTFYKK
YFHFINSINF/SQEP
E2 1 EINLCLVRQA/SQEP
E3 1 --> EINLETD/SQEP
E4 1 EINLKQLRYMVSQQGELALRIDKNMEETVVYV'AAA'GVQ GKLL'AAA'SYNSDWAKGWL
IM'AAA'ILFVLMVLLMVFMFIGGCRSVIMLFQTSWMINGKELVVVDALEAVEIILTLG/
SQEP
E5 1 EINLL/SQEP
E6 1 EINLLAYHGACHGAGPFPPTGSLDLRFLSTFKPPAYEDVVHRPGTPPPPYTVAPGRPLTA
SSEQTCCSSSSSCPAHFEGTNVEGVSSHQSAPPHQEGEPGAGVTPASTPPSCRYRRLTGD
SGIELCPCPASGEGEPVKEVRVSATLPDLEDYSPCALPPESVPQIFPMGLSSSEG/SQEP
E7 1 EINLLAYHGACHGAGPVPTGSLDLRLLSAFKPPAYEDVHHHPGTTPPPPYTVGPGYPWTT
SSECTRCSSSESSCAHLEGTNVEGVSSQQSALPHQEGEPAGLSPVHIPPCRYRRLTGD
SGIELCPCPDSSSEGEPLKEARASASQPDLEDHSPCALPPDSVSQVPPMGLASSCG/SQEP
E8 1 EINLLIATTVAEEGLDIKECNIVIRYGLVTNEIAMVQARGRARADESTYVLVTSSSGSGVT
EREIVNDFREKMMYKAINRVQNMKPEEYAHKILELQVQSILEKKMKVERSIKQYNDNPS
LITLLCKNCSMLVCSGENIHVIEKMHVNMTPEFKGLYIVRENKALQKKFADYQTNGEII
CKCGQAWGTMMVHKGLDLPC/SQEP
E9 1 EINLPGKW/SQEP

Prepared by: Mary Hale @2-2507 Rem Bldg 1D86

Page 2

E10 1 EINLPGKWK/SQEP
E11 1 EINLPGKWKP/SQEP
E12 1 EINLPGRWKPKMIGGIGGFIKVRQYDQILVEICGHKAIGTVLVGPTPANIIGRNLLTQIG
CTLNF/SQEP

=> s e3;d sqide can

1 EINLETD/SQEP
53888 SQL=7
L1 1 (EINLETD)/SQEP
(EINLETD/SQEP AND SQL=7)

L1 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2005 ACS on STN
RN 720667-33-4 REGISTRY
CN L-Aspartic acid, L- α -glutamyl-L-isoleucyl-L-asparaginyL-L-leucyl-L-
 α -glutamyl-L-threonyl- (9CI) (CA INDEX NAME)
OTHER NAMES:
CN 39: PN: WO2004056962 SEQID: 57 claimed sequence
CN 44: PN: WO2005060384 SEQID: 19 claimed sequence
FS PROTEIN SEQUENCE; STEREOSEARCH
SQL 7

PATENT ANNOTATIONS (PNTE):

Sequence	Patent
Source	Reference
=====+	=====
Not Given	WO2004056962
	claimed
	SEQID 57

SEQ 1 EINLETD
=====

HITS AT: 1-7

MF C34 H56 N8 O16


SR CA

LC STN Files: CA, CAPLUS, USPATFULL

DT.CA Caplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PRP (Properties)

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 143:92074

REFERENCE 2: 141:102226

=> fil medl,biosis,embase,caplus;s ll or glu(w)ile(w)asn(w)glu(w)thr(w)asp or
e(w)i(w)n(w)l(w)e(w)t(w)d or glutamic acid(w)isoleucine(w)aspartic
acid(w)leucine(w)glutamic acid(w)threonine(w)aspartic acid
COST IN U.S. DOLLARS

	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	16.24	16.66

FILE 'MEDLINE' ENTERED AT 10:09:05 ON 24 AUG 2005

FILE 'BIOSIS' ENTERED AT 10:09:05 ON 24 AUG 2005

Copyright (c) 2005 The Thomson Corporation

FILE 'EMBASE' ENTERED AT 10:09:05 ON 24 AUG 2005

COPYRIGHT (C) 2005 Elsevier Inc. All rights reserved.

FILE 'CAPLUS' ENTERED AT 10:09:05 ON 24 AUG 2005

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

L2 0 FILE MEDLINE
L3 0 FILE BIOSIS
L4 0 FILE EMBASE
L5 2 FILE CAPLUS

Prepared by: Mary Hale @2-2507 Rem Bldg 1D86

TOTAL FOR ALL FILES

L6 2 L1 OR GLU(W) ILE(W) ASN(W) GLU(W) THR(W) ASP OR E(W) I(W) N(W) L(W) E(W) T
(W) D OR GLUTAMIC ACID(W) ISOLEUCINE(W) ASPARTIC ACID(W) LEUCINE(W) G
LUTAMIC ACID(W) THREONINE(W) ASPARTIC ACID


=> d 1-2 ibib abs hitseq

L6 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2005 ACS on STN
ACCESSION NUMBER: 2005:588488 CAPLUS
DOCUMENT NUMBER: 143:92074
TITLE: Modified pro- β -secretase/BACE-1 and production of
 β -secretase/BACE-1 with recombinant cells
INVENTOR(S): Ballinger, Marcus; Randal, Michael L.
PATENT ASSIGNEE(S): Sunesis Pharmaceuticals, Inc., USA
SOURCE: PCT Int. Appl., 71 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 2
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005060384	A2	20050707	WO 2004-US21816	20040707
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
US 2005074456	A1	20050407	US 2003-726967	20031202
PRIORITY APPLN. INFO.:			US 2003-726967	A 20031202
			US 2002-430984P	P 20021204
AB	The present invention is directed to engineered polypeptides having BACE activity. In certain embodiments, the polypeptides also comprise an engineered cleavage site. Also provided are polypeptides comprising a prodomain, an engineered cleavage site, and a protease domain. The polypeptides are properly folded and are cleaved at the engineered cleavage site in vitro, producing homogeneous prepns. of purified protease having BACE activity. The invention further pertains to nucleic acids, expression vectors, and host cells comprising the expression vectors for making the engineered polypeptides.			
IT	720667-33-4 RL: BSU (Biological study, unclassified); PRP (Properties); BIOL (Biological study) (pro- β -secretase autoproteolysis site; modified pro- β -secretase/BACE-1 and production of β -secretase/BACE-1 with recombinant cells)			
RN	720667-33-4 CAPLUS			
CN	L-Aspartic acid, L- α -glutamyl-L-isoleucyl-L-asparaginyl-L-leucyl-L- α -glutamyl-L-threonyl- (9CI) (CA INDEX NAME)			

SEQ 1 EINLETD

Absolute stereochemistry.



L6 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER: 2004:546559 CAPLUS

DOCUMENT NUMBER: 141:102226

TITLE: Methods for engineering and purifying homogeneously processed β -secretase

INVENTOR(S): Ballinger, Marcus

PATENT ASSIGNEE(S): Sunesis Pharmaceuticals, Inc., USA

SOURCE: PCT Int. Appl., 40 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004056962	A2	20040708	WO 2003-US38314	20031202
WO 2004056962	C1	20050331		

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW

RW: BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

PRIORITY APPLN. INFO.: US 2002-430984P P 20021204

OTHER SOURCE(S): MARPAT 141:102226

AB The present invention provides methods for engineering and purifying homogeneously processed β -secretase isoform A proteins. These polypeptides also comprise an engineered cleavage site. β Secretase comprises a prodomain, an engineered cleavage site, and a protease domain, and the polypeptides are properly folded and are cleaved at the engineered cleavage site in vitro, producing homogeneous preps. of purified protease having BACE activity. The invention further pertains to nucleic acids, expression vectors, and host cells comprising the expression vectors for making the engineered polypeptides.

IT 720667-33-4

RL: BSU (Biological study, unclassified); PRP (Properties); BIOL (Biological study)


(β secretase autoproteolysis peptide site sequence; methods for engineering and purifying homogeneously processed β -secretase)

RN 720667-33-4 CAPLUS

CN L-Aspartic acid, L- α -glutamyl-L-isoleucyl-L-asparaginyl-L-leucyl-L- α -glutamyl-L-threonyl- (9CI) (CA INDEX NAME)

SEQ 1 EINLETD

Absolute stereochemistry.



=> dis his

(FILE 'HOME' ENTERED AT 10:03:42 ON 24 AUG 2005)

FILE 'REGISTRY' ENTERED AT 10:04:41 ON 24 AUG 2005

E EINLETD/SQEP

L1 1 S E3

FILE 'MEDLINE, BIOSIS, EMBASE, CAPLUS' ENTERED AT 10:09:05 ON 24 AUG 2005


```

L2          0 FILE MEDLINE
L3          0 FILE BIOSIS
L4          0 FILE EMBASE
L5          2 FILE CAPLUS
TOTAL FOR ALL FILES
L6          2 S L1 OR GLU(W) ILE(W) ASN(W) GLU(W) THR(W) ASP OR E(W) I(W) N(W) L(W) E(

```

=> dis his all

(FILE 'HOME' ENTERED AT 10:03:42 ON 24 AUG 2005)

FILE 'REGISTRY' ENTERED AT 10:04:41 ON 24 AUG 2005
E EINLETD/SQEP

```

L1          1 S E3

```

FILE 'MEDLINE, BIOSIS, EMBASE, CAPLUS' ENTERED AT 10:09:05 ON 24 AUG 2005

```

L2          0 FILE MEDLINE
L3          0 FILE BIOSIS
L4          0 FILE EMBASE
L5          2 FILE CAPLUS
TOTAL FOR ALL FILES
L6          2 S L1 OR GLU(W) ILE(W) ASN(W) GLU(W) THR(W) ASP OR E(W) I(W) N(W) L(W) E(

```

=> dis his ful

(FILE 'HOME' ENTERED AT 10:03:42 ON 24 AUG 2005)

FILE 'REGISTRY' ENTERED AT 10:04:41 ON 24 AUG 2005
E EINLETD/SQEP

```

L1          1 SEA ABB=ON PLU=ON (EINLETD)/SQEP
            D SQIDE CAN

```

FILE 'MEDLINE, BIOSIS, EMBASE, CAPLUS' ENTERED AT 10:09:05 ON 24 AUG 2005

```

L2          0 SEA ABB=ON PLU=ON L1 OR GLU(W) ILE(W) ASN(W) GLU(W) THR(W) ASP OR
            E(W) I(W) N(W) L(W) E(W) T(W) D OR GLUTAMIC ACID(W) ISOLEUCINE(W) ASPAR
            TIC ACID(W) LEUCINE(W) GLUTAMIC ACID(W) THREONINE(W) ASPARTIC ACID
L3          0 SEA ABB=ON PLU=ON L1 OR GLU(W) ILE(W) ASN(W) GLU(W) THR(W) ASP OR
            E(W) I(W) N(W) L(W) E(W) T(W) D OR GLUTAMIC ACID(W) ISOLEUCINE(W) ASPAR
            TIC ACID(W) LEUCINE(W) GLUTAMIC ACID(W) THREONINE(W) ASPARTIC ACID
L4          0 SEA ABB=ON PLU=ON L1 OR GLU(W) ILE(W) ASN(W) GLU(W) THR(W) ASP OR
            E(W) I(W) N(W) L(W) E(W) T(W) D OR GLUTAMIC ACID(W) ISOLEUCINE(W) ASPAR
            TIC ACID(W) LEUCINE(W) GLUTAMIC ACID(W) THREONINE(W) ASPARTIC ACID
L5          2 SEA ABB=ON PLU=ON L1 OR GLU(W) ILE(W) ASN(W) GLU(W) THR(W) ASP OR
            E(W) I(W) N(W) L(W) E(W) T(W) D OR GLUTAMIC ACID(W) ISOLEUCINE(W) ASPAR
            TIC ACID(W) LEUCINE(W) GLUTAMIC ACID(W) THREONINE(W) ASPARTIC ACID
TOTAL FOR ALL FILES
L6          2 SEA ABB=ON PLU=ON L1 OR GLU(W) ILE(W) ASN(W) GLU(W) THR(W) ASP OR
            E(W) I(W) N(W) L(W) E(W) T(W) D OR GLUTAMIC ACID(W) ISOLEUCINE(W) ASPAR
            TIC ACID(W) LEUCINE(W) GLUTAMIC ACID(W) THREONINE(W) ASPARTIC ACID
            D 1-2 IBIB ABS HITSEQ

```

FILE HOME

FILE REGISTRY

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 22 AUG 2005 HIGHEST RN 861291-85-2
DICTIONARY FILE UPDATES: 22 AUG 2005 HIGHEST RN 861291-85-2

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 18, 2005

Please note that search-term pricing does apply when conducting SmartSELECT searches.

```
*****
*
* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added, *
* effective March 20, 2005. A new display format, IDERL, is now *
* available and contains the CA role and document type information. *
*
*****
```

Structure search iteration limits have been increased. See HELP SLIMITS for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at:
<http://www.cas.org/ONLINE/DBSS/registryss.html>

FILE MEDLINE

FILE LAST UPDATED: 23 AUG 2005 (20050823/UP). FILE COVERS 1950 TO DATE.

On December 19, 2004, the 2005 MeSH terms were loaded.

The MEDLINE reload for 2005 is now available. For details enter HELP RLOAD at an arrow prompt (=>). See also:

<http://www.nlm.nih.gov/mesh/>
http://www.nlm.nih.gov/pubs/techbull/nd04/nd04_mesh.html

OLDMEDLINE now back to 1950.

MEDLINE thesauri in the /CN, /CT, and /MN fields incorporate the MeSH 2005 vocabulary.

This file contains CAS Registry Numbers for easy and accurate substance identification.

FILE BIOSIS

FILE COVERS 1969 TO DATE.

CAS REGISTRY NUMBERS AND CHEMICAL NAMES (CNs) PRESENT FROM JANUARY 1969 TO DATE.

RECORDS LAST ADDED: 17 August 2005 (20050817/ED)

FILE RELOADED: 19 October 2003.

FILE EMBASE

FILE COVERS 1974 TO 18 Aug 2005 (20050818/ED)

EMBASE has been reloaded. Enter HELP RLOAD for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

FILE CAPLUS

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 24 Aug 2005 VOL 143 ISS 9
FILE LAST UPDATED: 23 Aug 2005 (20050823/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> del his y

=> fil reg

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	67.36	84.02
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	-1.46	-1.46

FILE 'REGISTRY' ENTERED AT 10:10:09 ON 24 AUG 2005
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 22 AUG 2005 HIGHEST RN 861291-85-2
DICTIONARY FILE UPDATES: 22 AUG 2005 HIGHEST RN 861291-85-2

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 18, 2005

Please note that search-term pricing does apply when conducting SmartSELECT searches.

*
* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added, *
* effective March 20, 2005. A new display format, IDERL, is now *
* available and contains the CA role and document type information. *
*

Structure search iteration limits have been increased. See HELP SLIMITS

Prepared by: Mary Hale @2-2507 Rem Bldg 1D86

for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at:
<http://www.cas.org/ONLINE/DBSS/registryss.html>

=> log y

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
1.72	85.74

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION
0.00	-1.46

CA SUBSCRIBER PRICE

STN INTERNATIONAL LOGOFF AT 10:12:17 ON 24 AUG 2005